Hearing Research, 25 (1987) 294–295
Elsevier

Author Index

Abbas, P.J., see Brown, C.J., 193
Anderson, C.-J., see Robertson, D., 69
Arima, T., Uemura, T. and Yamamoto, T.
Three-dimensional visualizations of the inner ear hair cell of the guinea pig. A rapid-freeze, deep-etch study of filamentous and membranous organelles, 61

Bailey, A.J., see Richardson, G.P., 45
Bobbin, R.P. and Ceasar, G.
Kynurenic acid and γ-D-glutamylaminomethylsulfonic acid suppress the compound action potential of the auditory nerve, 77
Brown, C.J. and Abbas, P.J.
A comparision of AP and ABR tuning curves in the guinea pig, 193
Brown, W.S., see Greenberg, S., 91

Ceasar, G., see Bobbin, R.P., 77
Cole, K.S., see Robertson, D., 69
Comis, S.D., see Pickles, J.O., 173
Cotanche, D.A., Cotton, C.U., Gatzy, J.T. and Sulik, K.K.
Ultrastructural and electrophysiological maturation of the chick tegmentum vasculosum, 125
Cotanche, D.A., Saunders, J.C. and Tilney, L.G.
Hair cell damage produced by acoustic trauma in the chick cochlea, 267
Cotton, C.U., see Cotanche, D.A., 125

De Ribaupierre, F., see Heierli, P., 209
De Ribaupierre, Y., see Heierli, P., 209
DeRoster, D.J., see Tilney, M.S., 141
Duance, V.C., see Richardson, G.P., 45

Gatzy, J.T., see Cotanche, D.A., 125
Greenberg, S., Marsh, J.T., Brown, W.S. and Smith, J.C.
Neural temporal coding of low pitch. I. Human frequency-following responses to complex tones, 91

Harris, D.M.
Current source densitiy analysis of frequency coding in the inferior colliculus, 257
Heierli, P., De Ribaupierre, F. and De Ribaupierre, Y.
Functional properties and interactions of neuron pairs simultaneously recorded in the medial geniculate body of the cat, 209
Hemming, F.W., see Khalkhali-Ellis, Z., 185
Hillery, C.M. and Narins, P.M.
Frequency and time domain comparison of low-frequency auditory fiber responses in two anuran amphibians, 233

Khalkhali-Ellis, Z., Hemming, F.W. and Steel, K.P.
Glycoconjugates of the tectorial membrane, 185

Leake, P.A. and Snyder, R.L.
Uptake of horseradish peroxidase from perilymph by cochlear hair cells, 153
Lewis, E.R.
Speculations about noise and the evolution of vertebrate hearing, 83
Lippe, W.R.
Shift of tonotopic organization in brain stem auditory nuclei of the chicken during late embryonic development, 205
Lutfi, R.A.
Masking additivity in the hearing-impaired, 3

Machino, M., see Tachibana, M., 115
Marsh, J.T., see Greenberg, S., 91
Melichar, I. and Syka, J.
DC potentials in different cells of the stria vascularis measured in vitro, 23
Melichar, I. and Syka, J.
Electrophysiological measurements of the stria vascularis potentials in vivo, 35
Mizukoshi, O., see Tachibana, M., 115
Morioka, H., see Tachibana, M., 115
Mulroy, M.J. and Williams, R.S.
Auditory stereocilia in the alligator lizard, 11

Narins, P.M., see Hillery, C.M., 233

Osborne, M.P., see Pickles, J.O., 173

Pickles, J.O., Osborne, M.P. and Comis, S.D.
Vulnerability of tip links between stereocilia to acoustic trauma in the guinea pig, 173

Richardson, G.P., Russell, I.J., Duance, V.C. and Bailey, A.J.
Polypeptide composition of the mammalian tectorial membrane, 45
Robertson, D., Anderson, C.-J. and Cole, K.S.
Segregation of efferent projections to different turns of the guinea pig cochlea, 69
Russell, I.J., see Richardson, G.P., 45

Santos-Sacchi, J.
Electrical coupling differs in the in vitro and in vivo organ of Corti, 227
Saunders, J.C., see Cotanche, D.A., 267
Schweitzer, L.
Development of brainstem auditory evoked responses in the hamster, 249
Smith, J.C., see Greenberg, S., 91
Snyder, R.L., see Leake, P.A., 153
Steel, K.P., see Khalkhali-Ellis, Z., 185

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Sulik, K.K., see Cotanche, D.A., 125
Syka, J., see Melichar, I., 23
Syka, J., see Melichar, I., 35

Tachibana, M. and Takada, A.
Incorporation of palmitic acid in the organ of Corti as revealed by autoradiography, 121
Tachibana, M., Morioka, H., Machino, M. and Mizukoshi, O.
Cytochemical localization of specific carbohydrates in the cochlea using wheat germ agglutinin-gold, 115
Takada, A., see Tachibana, M., 121
Tilney, L.G., see Cotanche, D.A., 267
Tilney, L.G., see Tilney, M.S., 141
Tilney, M.S., Tilney, L.G. and DeRosier, D.J.
The distribution of hair cell bundle lengths and orientations suggests an unexpected pattern of hair cell stimulation in the chick cochlea, 141

Uemura, T., see Arima, T., 61

Williams, R.S., see Mulroy, M.J., 11

Yamamoto, T., see Arima, T., 61

Hearing Research, 25 (1987) 296–299
Elsevier

Subject Index

Acoustic trauma
stereocilia, cross-link, cochlear hair cell, transduction, guinea pig, 173
Amphibian
auditory system, hearing, frog, amphibian papilla, traveling wave, 233
Amphibian papilla
auditory system, hearing, amphibian, frog, traveling wave, 233
Anatomy
sensory hair, cilia, frequency tuning, hair cell, cochlea, ear, hearing, reptile, 11
ATPase
endocochlear potential, ion transport, sodium-potassium, development, cochlea, tegmentum vasculosum, avian, 125
Auditory filter model
masking additivity, hearing-impaired, 3
Auditory system
hearing, amphibian, frog, amphibian papilla, traveling wave, 233
Auditory system
brainstem auditory evoked response, development, hamster, 249
Autoradiography
[^{3}H]palmitic acid, organ of Corti, guinea pig, 121
Avian
endocochlear potential, ion transport, sodium-potassium, ATPase, development, cochlea, tegmentum vasculosum, 125

Basilar membrane
cochlea, place principle, development of tonotopic organization, basilar papilla, 205
Basilar papilla
cochlea, place principle, basilar membrane, development of tonotopic organization, 205
Basolateral membrane of marginal cell
endocochlear potential, stria vascularis, electrogenic pump, noise, cochlear model, 35
Brainstem
whole nerve action potential, tuning curve, forward masking, guinea pig, 193
Brainstem auditory evoked response
auditory system, development, hamster, 249

Cat
medial geniculate body, single unit interaction, single unit pair, functional organization, 209
Chick
hair cell, cochlea, stereocilia, noise damage, development, 267
Cilia
sensory hair, frequency tuning, hair cell, cochlea, ear, anatomy, hearing, reptile, 11
Cochlea
sensory hair, cilia, frequency tuning, hair cell, ear, anatomy, hearing, reptile, 11
Cochlea
efferent, differential projection, 69
Cochlea
kynurenic acid, γ-D-glutamylaminomethylsulfonic acid, hair cell, neurotransmitter, 77
Cochlea
wheat germ agglutinin, lectin-gold, 115
Cochlea
endocochlear potential, ion transport, sodium-potassium, ATPase, development, tegmentum vasculosum, avian, 125
Cochlea
hair cell, plasma membrane, horseradish peroxidase, perilymph, 153
Cochlea
place principle, basilar membrane, development of tonotopic organization, basilar papilla, 205
Cochlea
hair cell, stereocilia, chick, noise damage, development, 267
Cochlear hair cell
stereocilia, acoustic trauma, cross-link, transduction, guinea pig, 173
Cochlear model
endocochlear potential, stria vascularis, basolateral membrane of marginal cell, electrogenic pump, noise, 35
Collagen type
tectorial membrane, immunological analysis, polypeptide composition, 45
Complex tone
pitch, frequency-following response, 91
Cross-link
stereocilia, acoustic trauma, cochlear hair cell, transduction, guinea pig, 173
Cross linker
hair cell, freeze-etch, cytoskeleton, surface membrane, 61
Current source density
inferior colliculus, frequency coding, neuronal ensemble, 257
Cytoskeleton
hair cell, freeze-etch, cross linker, surface membrane, 61

DC intracellular potential
stria vascularis, endocochlear potential, in vitro preparation, 23

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Development
endocochlear potential, ion transport, sodium-potassium, ATPase, cochlea, tegmentum vasculosum, avian, 125
Development
auditory system, brainstem auditory evoked response, hamster, 249
Development
hair cell, cochlea, stereocilia, chick, noise damage, 267
Development of tonotopic organization
cochlea, place principle, basilar membrane, basilar papilla, 205
Differential projection
cochlea, efferent, 69

Ear
sensory hair, cilia, frequency tuning, hair cell, cochlea, anatomy, hearing, reptile, 11
Efferent
cochlea, differential projection, 69
Electrical coupling
organ of Corti, supporting cell, in vivo, in vitro, gap junction, 227
Electrogenic pump
endocochlear potential, stria vascularis, basolateral membrane of marginal cell, noise, cochlear model, 35
Endocochlear potential
stria vascularis, DC intracellular potential, in vitro preparation, 23
Endocochlear potential
stria vascularis, basolateral membrane of marginal cell, electrogenic pump, noise, cochlear model, 35
Endocochlear potential
ion transport, sodium-potassium, ATPase, development, cochlea, tegmentum vasculosum, avian, 125
Evolution
noise, spectral filter, spatial filter, temporal resolution, hair-cell resonance, 83

Forward masking
brainstem, whole nerve action potential, tuning curve, guinea pig, 193
Freeze-etch
hair cell, cytoskeleton, cross linker, surface membrane, 61
Frequency coding
inferior colliculus, neuronal ensemble, current source density, 257
Frequency-following response
pitch, complex tone, 91
Frequency tuning
sensory hair, cilia, hair cell, cochlea, ear, anatomy, hearing, reptile, 11
Frog
auditory system, hearing, amphibian, amphibian papilla, traveling wave, 233
Functional organization
medial geniculate body, single unit interaction, single unit pair, cat, 209

Gap junction
organ of Corti, supporting cell, electrical coupling, in vivo, in vitro, 227
Gas-liquid chromatography
tectorial membrane, glycoconjugate, lectin, 185
γ-D-Glutamylaminomethylsulfonic acid
kynurenic acid, cochlea, hair cell, neurotransmitter, 77
Glycoconjugate
tectorial membrane, lectin, gas-liquid chromatography, 185
Guinea pig
[^{3}H]palmitic acid, autoradiography, organ of Corti, 121
Guinea pig
stereocilia, acoustic trauma, cross-link, cochlear hair cell, transduction, 173
Guinea pig
brainstem, whole nerve action potential, tuning curve, forward masking, 193

Hair cell
sensory hair, cilia, frequency tuning, cochlea, ear, anatomy, hearing, reptile 11
Hair cell
freeze-etch, cytoskeleton, cross linker, surface membrane, 61
Hair cell
kynurenic acid, γ-D-glutamylaminomethylsulfonic acid, cochlea, neurotransmitter, 77
Hair cell
stereocilia, stereociliary length, tonotopic organization, morphological polarity, 141
Hair cell
cochlea, plasma membrane, horseradish peroxidase, perilymph, 153
Hair cell
cochlea, stereocilia, chick, noise damage, development, 267
Hair-cell resonance
noise, spectral filter, spatial filter, temporal resolution, evolution, 83
Hamster
auditory system, brainstem auditory evoked response, development, 249
Hearing
sensory hair, cilia, frequency tuning, hair cell, cochlea, ear, anatomy, reptile, 11
Hearing
auditory system, amphibian, frog, amphibian papilla, traveling wave, 233
Hearing-impaired
masking additivity, auditory filter model, 3
Horseradish peroxidase
cochlea, hair cell, plasma membrane, perilymph, 153

Immunological analysis
tectorial membrane, collagen type, polypeptide composition, 45
In vitro
organ of Corti, supporting cell, electrical coupling, in vivo, gap junction, 227

In vitro preparation
stria vascularis, DC intracellular potential, endocochlear potential, 23
In vivo
organ of Corti, supporting cell, electrical coupling, in vitro, gap junction, 227
Inferior colliculus
frequency coding, neuronal ensemble, current source density, 257
Ion transport
endocochlear potential, sodium-potassium, ATPase, development, cochlea, tegmentum vasculosum, avian, 125

Kynurenic acid
γ-D-glutamylaminomethylsulfonic acid, cochlea, hair cell, neurotransmitter, 77

Lectin
tectorial membrane, glycoconjugate, gas-liquid chromatography, 185
Lectin-gold
cochlea, wheat germ agglutinin, 115

Masking additivity
auditory filter model, hearing-impaired, 3
Medial geniculate body
single unit interaction, single unit pair, functional organization, cat, 209
Morphological polarity
stereocilia, stereociliary length, tonotopic organization, hair cell, 141

Neuronal ensemble
inferior colliculus, frequency coding, current source density, 257
Neurotransmitter
kynurenic acid, γ-D-glutamylaminomethylsulfonic acid, cochlea, hair cell, 77
Noise
endocochlear potential, stria vascularis, basolateral membrane of marginal cell, electrogenic pump, cochlear model, 35
Noise
spectral filter, spatial filter, temporal resolution, hair-cell resonance, evolution, 83
Noise damage
hair cell, cochlea, stereocilia, chick, development, 267

Organ of Corti
[^{3}H]palmitic acid, autoradiography, guinea pig, 121
Organ of Corti
supporting cell, electrical coupling, in vivo, in vitro, gap junction, 227

[^{3}H]Palmitic acid
autoradiography, organ of Corti, guinea pig, 121
Perilymph
cochlea, hair cell, plasma membrane, horseradish peroxidase, 153
Pitch
frequency-following response, complex tone, 91
Place principle
cochlea, basilar membrane, development of tonotopic organization, basilar papilla, 205
Plasma membrane
cochlea, hair cell, horseradish peroxidase, perilymph, 153
Polypeptide composition
tectorial membrane, collagen type, immunological analysis, 45

Reptile
sensory hair, cilia, frequency tuning, hair cell, cochlea, ear, anatomy, hearing, 11

Sensory hair
cilia, frequency tuning, hair cell, cochlea, ear, anatomy, hearing, reptile, 11
Single unit interaction
media geniculate body, single unit pair, functional organization, cat, 209
Single unit pair
medial geniculate body, single unit interaction, functional organization, cat, 209
Sodium-potassium
endocochlear potential, ion transport, ATPase, development, cochlea, tegmentum vasculosum, avian, 125
Spatial filter
noise, spectral filter, temporal resolution, hair-cell resonance, evolution, 83
Spectral filter
noise, spatial filter, temporal resolution, hair-cell resonance, evolution, 83
Stereocilia
stereociliary length, tonotopic organization, morphological polarity, hair cell, 141
Stereocilia
acoustic trauma, cross-link, cochlear hair cell, transduction, guinea pig, 173
Stereocilia
hair cell, cochlea, chick, noise damage, development, 267
Stereociliary length
stereocilia, tonotopic organization, morphological polarity, hair cell, 141
Stria vascularis
DC intracellular potential, endocochlear potential, in vitro preparation, 23
Stria vascularis
endocochlear potential, basolateral membrane of marginal cell, electrogenic pump, noise, cochlear model, 35
Supporting cell
organ of Corti, electrical coupling, in vivo, in vitro, gap junction, 227
Surface membrane
hair cell, freeze-etch, cytoskeleton, cross linker, 61

Tectorial membrane
collagen type, immunological analysis, polypeptide composition, 45

Tectorial membrane
glycoconjugate, lectin, gas-liquid chromatography, 185
Tegmentum vasculosum
endocochlear potential, ion transport, sodium-potassium, ATPase, development, cochlea, avian, 125
Temporal resolution
noise, spectral filter, spatial filter, hair-cell resonance, evolution, 83
Tonotopic organization
stereocilia, stereociliary length, morphological polarity, hair cell, 141
Transduction
stereocilia, acoustic trauma, cross-link, cochlear hair cell, guinea pig, 173
Traveling wave
auditory system, hearing, amphibian, frog, amphibian papilla, 233
Tuning curve
brainstem, whole nerve action potential, forward masking, guinea pig, 193

Wheat germ agglutinin
cochlea, lectin-gold, 115
Whole nerve action potential
brainstem, tuning curve, forward masking, guinea pig, 193